UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/585,045	06/29/2006	Konrad Roeingh	НМ-729РСТ	2579
40570 Lucas & Merca	7590 02/03/201 nti, LLP	EXAMINER		
475 Park Avenue South, 15th Floor			PATEL, VISHAL A	
New York, NY 10016			ART UNIT	PAPER NUMBER
			3676	
			MAIL DATE	DELIVERY MODE
			02/03/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/585,045	ROEINGH ET AL.			
Office Action Summary	Examiner	Art Unit			
	Vishal Patel	3676			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	ely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
1) ☐ Responsive to communication(s) filed on <u>28 Ja</u> 2a) ☐ This action is <b>FINAL</b> . 2b) ☐ This 3) ☐ Since this application is in condition for allowan closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
<ul> <li>4) ☐ Claim(s) 1-6 is/are pending in the application.</li> <li>4a) Of the above claim(s) 6 is/are withdrawn fro</li> <li>5) ☐ Claim(s) is/are allowed.</li> <li>6) ☐ Claim(s) 1-5 is/are rejected.</li> <li>7) ☐ Claim(s) is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/or</li> </ul>					
Application Papers					
9) The specification is objected to by the Examiner  10) The drawing(s) filed on is/are: a) access  Applicant may not request that any objection to the off Replacement drawing sheet(s) including the correction of the off the oath or declaration is objected to by the Examiner  11) The oath or declaration is objected to by the Examiner	epted or b) $\square$ objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ite			

Application/Control Number: 10/585,045 Page 2

Art Unit: 3676

# **DETAILED ACTION**

The 112 rejection below are still applicable since applicant has not provided a certified translation of the application (e.g. foreign application which applicant relies on).

**Continued Examination Under 37 CFR 1.114** 

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/28/2011 has been entered.

## Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
  - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 1-5 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Unclear what applicant means by roller burnished, furthermore this limitation is considered to be a process limitation and given no patentable weight in an apparatus claim (e.g. [E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the

same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process).

For the purpose of examination the term rolled and/or roller-burnished is considered to be a process limitation, since after application of roller-burnished method the sealing surface is work hardened and its roughness is minimized (e.g. see application specification page 5, paragraph 2). The examiner agrees that roller-burnished creates a hard sealing surface but they are many known methods to form a hard sealing surface.

It is also noted that applicant has not claimed a hard surface which is smooth and that the sealing surface is coated.

### Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1 and 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Robotham (US. 6,375,195) in view of Keller (US. WO 02/074461).

Robotham clearly discloses all the limitations of claims 1 and 4-5. For example a device having a sealing ring (e.g. 6), roll neck or roll bush (e.g. 4), a holder (e.g. 14) having elastic sealing elements (e.g. 13a-13b), the sealing elements are supported by the body 13 or springs in the sealing elements and a chock (e.g. 9). The sealing ring (e.g. 6) having a sealing surface that is a coated with metal (e.g. column 2, lines 65-68) which is hard (e.g. chrome coating which provides a smooth hard surface). The sealing ring is fastened to the roll neck (e.g. column 2,

Art Unit: 3676

lines 63-65, the sealing ring is fastened since it rotates on the roll neck after being mounted on the roll neck). Furthermore the member 5 prevents the sealing ring from moving axially. The sealing element having two arms that project in axial directions.

Robotham discloses the invention substantially as claimed above but fails to disclose that the two arms project in common axial direction. Keller discloses a device having an elastic sealing element having two arms (e.g. 23 and 24) that project in a common axial direction and the elastic sealing element contacting a sealing ring (4). It would have been obvious to one having ordinary skilled in the art at the time of the invention to have the sealing element of Robotham be replaced by the sealing element of Keller, to provide improved sealing between the sealing ring and the elastic sealing element (e.g. see abstract of WO 02/074461).

6. Claims 1 and 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Keller et al (WO 02/074461) in view of Robotham.

Keller clearly discloses a device having a sealing ring (e.g. 4), roll neck or roll bush (e.g. 1), a holder (e.g. 10) having elastic sealing elements (e.g. 23-24), the sealing elements are supported by the body or springs in the sealing elements and a chock (e.g. 5). The sealing ring (e.g. 4) having a sealing surface. The sealing ring is fastened to the roll neck (e.g. figures). Furthermore the member 22 prevents the sealing ring from moving axially. The sealing element having two arms that project in a common axial direction (e.g. 23 and 24 project in a common axial direction).

Keller discloses the invention substantially as claimed above but fails to disclose that the sealing surface having a smooth surface with a hard surface coating. Robotham discloses a seal ring (e.g. 6) having a sealing surface (e.g. surface of 6 that is coated) that has a smooth coated

surface (e.g. column 2, lines 60-68). It would have been obvious to one having ordinary skilled in the art at the time of the invention to have the sealing surface of Keller to have a coating as taught by Robotham to reduce heat that will provide longer lasting sealing (e.g. column 3, lines 1-5 of Robotham).

7. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Robotham and Keller and further in view of Draskovich et al (e.g. 5,544,897).

Robotham and Keller disclose the invention substantially as claimed above but fail to disclose that the sealing surface is nitrided (particular process of nitriding is considered to be method limitation and given little patentable weight in an apparatus claim particular a nitrided coating is taught). Draskovich discloses a device having a sealing element (e.g. 22) contacting a sealing ring (e.g. 32) that has a coating of nitrided (e.g. 42). It would have been obvious to one having ordinary skilled in the art at the time of the invention to have the metal coating (e.g. chrome coating) Robotham and Keller to be replaced by a nitrided coating as taught by Draskovich, since having one metal coating replaced by another is considered to be art equivalent (column 3, lines 4-5 of Draskovich).

8. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Robotham and Keller and further in view of Yoshida (US. 7,063,193).

Robotham and Keller discloses the invention substantially as claimed above but fails to disclose that the sealing surface is treated with hardening treatment and also a coating on the hardened sealing surface as argued by applicant (e.g. process that causes the sealing surface be hardened, which is claimed by applicant and argued). Yoshida discloses a sealing ring (e.g. sealing ring having a contact surface 200) with a cylindrical surface (e.g. surface 200 that is

Art Unit: 3676

contacted by the lip seal 127e, figure 7), the cylindrical surface is a hardened surface (e.g. column 15, lines 29-30), the cylindrical surface has an oxidizing treatment (e.g. provides oxidized sealing surface, column 15, lines 42-47), the cylindrical surface also has a coating including one of PTFE, Nickel dispersion plating, Chrome plating and electroless Nickel plating. It would have been obvious to one having ordinary skilled in the art at the time of the invention to have the sealing surface of Robotham and Keller to have a hardened surface which is oxidized and have a coating as taught by Yoshida, to provide corrosion resistant, superior strength, heat resistant and anti wearing property (e.g. column 15, lines 38-42 of Yoshida).

9. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Keller and Robotham and further in view of Draskovich et al (e.g. 5,544,897).

Keller and Robotham disclose the invention substantially as claimed above but fail to disclose that the sealing surface is nitrided (particular process of nitriding is considered to be method limitation and given little patentable weight in an apparatus claim particular a nitrided coating is taught). Draskovich discloses a device having a sealing element (e.g. 22) contacting a sealing ring (e.g. 32) that has a coating of nitrided (e.g. 42). It would have been obvious to one having ordinary skilled in the art at the time of the invention to have the metal coating (e.g. chrome coating) Keller and Robotham to be replaced by a nitrided coating as taught by Draskovich, since having one metal coating replaced by another is considered to be art equivalent (column 3, lines 4-5 of Draskovich).

10. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Keller and Robotham and further in view of Yoshida (US. 7,063,193).

Art Unit: 3676

Keller and Robotham discloses the invention substantially as claimed above but fails to disclose that the sealing surface is treated with hardening treatment and also a coating on the hardened sealing surface as argued by applicant (e.g. process that causes the sealing surface be hardened, which is claimed by applicant and argued). Yoshida discloses a sealing ring (e.g. sealing ring having a contact surface 200) with a cylindrical surface (e.g. surface 200 that is contacted by the lip seal 127e, figure 7), the cylindrical surface is a hardened surface (e.g. column 15, lines 29-30), the cylindrical surface has an oxidizing treatment (e.g. provides oxidized sealing surface, column 15, lines 42-47), the cylindrical surface also has a coating including one of PTFE, Nickel dispersion plating, Chrome plating and electroless Nickel plating. It would have been obvious to one having ordinary skilled in the art at the time of the invention to have the sealing surface of Keller and Robotham to have a hardened surface which is oxidized and have a coating as taught by Yoshida, to provide corrosion resistant, superior strength, heat resistant and anti wearing property (e.g. column 15, lines 38-42 of Yoshida).

#### **Response to Arguments**

11. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vishal Patel whose telephone number is 571-272-7060. The examiner can normally be reached on 6:30am to 8:00pm.

Application/Control Number: 10/585,045 Page 8

Art Unit: 3676

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer H. Gay can be reached on 571-272-7029. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/V. P./

Primary Examiner, Art Unit 3676

/Vishal Patel/ Primary Examiner, Art Unit 3676